

☐ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello


Synthetic oil

Olio sintetico

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


Standard

Standard




B3

Type	D30
Oil q.ty (Lt.)	0.03
Standard without oil plug	




B6

Type	D30
Oil q.ty (Lt.)	0.03
Standard without oil plug	




B7

Type	D30
Oil q.ty (Lt.)	0.03
Standard without oil plug	




B8

Type	D30
Oil q.ty (Lt.)	0.03
Standard without oil plug	



V5

Type	D30
Oil q.ty (Lt.)	0.03
Standard without oil plug	




V6

Type	D30
Oil q.ty (Lt.)	0.03
Standard without oil plug	


Combined

Combinato




B3

Type	3D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.03
Standard without oil plug	




B6

Type	3D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.03
Standard without oil plug	




B7

Type	3D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.03
Standard without oil plug	




B8

Type	3D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.03
Standard without oil plug	



V5

Type	3D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.03
Standard without oil plug	



V6

Type	3D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.03
Standard without oil plug	

□ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello

Oil plug

Tappo olio



H TO1/8SCA
Closed plug 1/8



I TO1/4SCA
Closed plug 1/4


Synthetic oil

Olio sintetico

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


Standard

Standard




B3

Type	D45
Oil q.ty (Lt.)	0.09
Standard without oil plug	
On request	① I




B6

Type	D45
Oil q.ty (Lt.)	0.09
Standard without oil plug	
On request	① I




B7

Type	D45
Oil q.ty (Lt.)	0.09
Standard without oil plug	
On request	① I




B8

Type	D45
Oil q.ty (Lt.)	0.09
Standard without oil plug	
On request	① I



V5

Type	D45
Oil q.ty (Lt.)	0.09
Standard without oil plug	
On request	① I




V6

Type	D45
Oil q.ty (Lt.)	0.09
Standard without oil plug	
On request	① I


First stage

Precoppia




B3

Type	D45+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.09
Standard	② H
On request	① I




B6

Type	D45+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.09
Standard	② H
On request	① I




B7

Type	D45+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.09
Standard	② H
On request	① I




B8

Type	D45+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.09
Standard	② H
On request	① I



V5

Type	D45+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.09
Standard	② H
On request	① I



V6

Type	D45+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.09
Standard	② H
On request	① I

☐ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello

Oil plug

Tappo olio



I TO1/4SCA
Closed plug 1/4


Synthetic oil

Olio sintetico

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


Combined

Combinato




B3

Type	4D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.09
Standard without oil plug	
On request ①	I




B6

Type	4D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.09
Standard without oil plug	
On request ①	I




B7

Type	4D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.09
Standard without oil plug	
On request ①	I




B8

Type	4D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.09
Standard without oil plug	
On request ①	I



V5

Type	4D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.09
Standard without oil plug	
On request ①	I



V6

Type	4D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.09
Standard without oil plug	
On request ①	I

☐ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello

Oil plug

Tappo olio



H T01/8SCA
Closed plug 1/8



I T01/4SCA
Closed plug 1/4


Synthetic oil

Olio sintetico

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


Standard

Standard




B3

Type	D50
Oil q.ty (Lt.)	0.14
Standard without oil plug	
On request	① I




B6

Type	D50
Oil q.ty (Lt.)	0.14
Standard without oil plug	
On request	① I




B7

Type	D50
Oil q.ty (Lt.)	0.14
Standard without oil plug	
On request	① I




B8

Type	D50
Oil q.ty (Lt.)	0.14
Standard without oil plug	
On request	① I



V5

Type	D50
Oil q.ty (Lt.)	0.14
Standard without oil plug	
On request	① I




V6

Type	D50
Oil q.ty (Lt.)	0.14
Standard without oil plug	
On request	① I


First stage

Precoppia




B3

Type	D50+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.14
Standard	② H
On request	① I




B6

Type	D50+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.14
Standard	② H
On request	① I




B7

Type	D50+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.14
Standard	② H
On request	① I




B8

Type	D50+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.14
Standard	② H
On request	① I



V5

Type	D50+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.14
Standard	② H
On request	① I



V6

Type	D50+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.14
Standard	② H
On request	① I

□ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello

Oil plug

Tappo olio



I TO1/4SCA
Closed plug 1/4


Synthetic oil

Olio sintetico

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


Combined

Combinato




B3

Type	5D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.14
Standard without oil plug	
On request ①	I




B6

Type	5D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.14
Standard without oil plug	
On request ①	I




B7

Type	5D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.14
Standard without oil plug	
On request ①	I




B8

Type	5D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.14
Standard without oil plug	
On request ①	I



V5

Type	5D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.14
Standard without oil plug	
On request ①	I



V6

Type	5D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.14
Standard without oil plug	
On request ①	I

☐ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello

Oil plug

Tappo olio

Synthetic oil

Olio sintetico



H T01/8SCA
Closed plug 1/8




I T01/4SCA
Closed plug 1/4

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


Standard

Standard




B3

Type	D63
Oil q.ty (Lt.)	0.40
Standard without oil plug	
On request	① I




B6

Type	D63
Oil q.ty (Lt.)	0.40
Standard without oil plug	
On request	① I




B7

Type	D63
Oil q.ty (Lt.)	0.40
Standard without oil plug	
On request	① I




B8

Type	D63
Oil q.ty (Lt.)	0.40
Standard without oil plug	
On request	① I



V5

Type	D63
Oil q.ty (Lt.)	0.40
Standard without oil plug	
On request	① I




V6

Type	D63
Oil q.ty (Lt.)	0.40
Standard without oil plug	
On request	① I


First stage

Precoppia




B3

Type	D63+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.40
Standard	② H
On request	① I




B6

Type	D63+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.40
Standard	② H
On request	① I




B7

Type	D63+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.40
Standard	② H
On request	① I




B8

Type	D63+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.40
Standard	② H
On request	① I



V5

Type	D63+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.40
Standard	② H
On request	① I



V6

Type	D63+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	0.40
Standard	② H
On request	① I

☐ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello

Oil plug

Tappo olio



I TO1/4SCA
Closed plug 1/4


Synthetic oil

Olio sintetico

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


Combined

Combinato




B3

Type	6D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request	① I




B6

Type	6D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request	① I




B7

Type	6D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request	① I




B8

Type	6D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request	① I



V5

Type	6D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request	① I




V6

Type	6D3
Oil q.ty (Lt.) A	0.03
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request	① I


Combined

Combinato




B3

Type	6D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request	① I




B6

Type	6D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request	① I




B7

Type	6D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request	① I




B8

Type	6D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request	① I



V5

Type	6D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request	① I



V6

Type	6D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	0.40
Standard without oil plug	
On request	① I

☐ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello

Oil plug

Tappo olio



H T01/8SCA
Closed plug 1/8



L T03/8SCA
Closed plug 3/8


Synthetic oil

Olio sintetico

Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320


Standard

Standard




B3

Type	D85
Oil q.ty (Lt.)	1.20
Standard without oil plug	
On request ①	L




B6

Type	D85
Oil q.ty (Lt.)	1.20
Standard without oil plug	
On request ①	L




B7

Type	D85
Oil q.ty (Lt.)	1.20
Standard without oil plug	
On request ①	L




B8

Type	D85
Oil q.ty (Lt.)	1.20
Standard without oil plug	
On request ①	L



V5

Type	D85
Oil q.ty (Lt.)	1.20
Standard without oil plug	
On request ①	L




V6

Type	D85
Oil q.ty (Lt.)	1.20
Standard without oil plug	
On request ①	L


First stage

Precoppia




B3

Type	D85+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	1.20
Standard ②	H
On request ①	L




B6

Type	D85+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	1.20
Standard ②	H
On request ①	L




B7

Type	D85+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	1.20
Standard ②	H
On request ①	L




B8

Type	D85+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	1.20
Standard ②	H
On request ①	L



V5

Type	D85+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	1.20
Standard ②	H
On request ①	L



V6

Type	D85+211D
Oil q.ty (Lt.) A	0.05
Oil q.ty (Lt.) B	1.20
Standard ②	H
On request ①	L

□ These plugs are on the back side
Tappi nel lato posteriore

▼ Filling & Breather
Riempimento e sfiato

▼ Filling closed
Chiuso

△ Emptying
Scarico

● Level
Livello

Oil plug

Tappo olio



I TO1/4SCA
Closed plug 1/4



L TO3/8SCA
Closed plug 3/8


Synthetic oil

Olio sintetico


Code	Description
LUOTVSF320 (Standard)	Shell Omala S4 WE320 Eni Telium VSF320
LUOBLAS150 (Low temperature)	Shell Omala S4 WE150 Eni Blasias S 150
LUOFOOD320 (Food)	Mobil SHC Cibus 320

Combined


Combinato




Type	8D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	1.20
Standard without oil plug	
On request	① I ② L




Type	8D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	1.20
Standard without oil plug	
On request	① I ② L




Type	8D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	1.20
Standard without oil plug	
On request	① I ② L



Type	8D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	1.20
Standard without oil plug	
On request	① I ② L



Type	8D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	1.20
Standard without oil plug	
On request	① I ② L



Type	8D4
Oil q.ty (Lt.) A	0.09
Oil q.ty (Lt.) B	1.20
Standard without oil plug	
On request	① I ② L



UNI

P1	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3	•							•						
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

FLC / FLL

P1R	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3	•													
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

FLC / FLL

P1L	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3														
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

P2

P2	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3	•													
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

P2R

P2R	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3	•													
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

P2L

P2L	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3	•													
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

Q1

Q1	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3	•													
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

Q1R

Q1R	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3	•													
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

Q1L

Q1L	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3														
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

Q2

Q2	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3	•													
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

Q2R

Q2R	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3	•													
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

Q2L

Q2L	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3	•													
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

R1

R1	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3	•													
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

R1R

R1R	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3	•													
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

R1L

R1L	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3														
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

R2

R2	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3	•													
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

R2R

R2R	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3	•													
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

R2L

R2L	B5					B14								
	56	63	71	80	90	100	112	56	63	71	80	90	100	112
3D3	•													
4D3														
5D3														
6D3	•													
6D4														
8D4	•													

S1

